

10 00 00 SPECIALTIES

10 00 03 GENERAL PROVISIONS

A. General

1. Design reviews will be coordinated by the SHSU Project Manager at regular intervals.
2. All specified items must have a demonstrated history in a similar institutional setting.
3. Avoid custom material(s) or material(s) that require significant specialized maintenance.
4. Construction documents must clearly identify and note specialty items, including their locations and mounting information.

10 10 00 INFORMATION SPECIALTIES

10 14 00 SIGNAGE

EXTERIOR SIGNAGE

See Appendix I SHSU Exterior Sign Standards

INTERIOR SIGNAGE

See Appendix II SHSU Interior Sign Standards

ROOM NUMBERING

See Appendix III SHSU Room Numbering for University Buildings

10 20 00 INTERIOR SPECIALTIES

10 21 00 COMPARTMENTS AND CUBICLES

10 21 13 Toilet Compartments

A. Utilize vandal resistant Phenolic Partitions

1. Use Floor & Wall hung toilet partitions.
 - A. Where additional supports are required, such as at “L” shaped configurations or where one side is open, use posts to accommodate structural requirements. It is preferred the posts are as small as possible.
2. Use wall-mounted vanity panels at urinals.

10 26 00 WALL AND DOOR PROTECTION

10 26 13 Corner Guards

- A. Utilize acrylic style 3” corner guard with hidden metal retainers and coordinated/matching colors.

1. Provide in all public spaces, service areas and at specialty finishes.
2. Protect outside corners of gypsum board partitions in public corridors to minimum 36" height.
3. Prefer wall protection at chair rail height for public areas with moveable seating.

10 28 00 TOILET, BATH AND LAUNDRY ACCESSORIES

10 8 13 Toilet Accessories

- A. All Accessories shall be Stainless Steel
- B. Provide and install toilet room accessories as follows:
 1. Tissue Dispenser - Kimberly-Clark Professional SKU 09601
 2. Soap Dispenser – Kimberly-Clark Professional SKU 91936
 3. Towel Dispenser – Kimberly-Clark Professional SKU 31501

10 40 00 SAFETY SPECIALTIES

10 44 00 FIRE PROTECTION SPECIALTIES

10 4 13 Fire Extinguisher Cabinets

- A. Prefer Badger fire extinguishers, recessed or semi-recessed models. (Buckeye brand not allowed.)
- B. Prefer brushed stainless steel finish.

10 50 00 STORAGE SPECIALTIES

10 56 00 STORAGE ASSEMBLIES

10 56 13 Storage Shelving

- A. Type and material based on project requirements.
 1. MDF prohibited.
 2. Consider structural requirements for anticipated loading.
 3. Provide proper blocking or backing.